
3 – The Rain and Snow Forecasts Page

NOTE: This page utilizes mouseover capabilities, and is compatible with smartphones and tablets.



Our Rain and Snow Forecasts page can be utilized in much the same way as the Severe Thunderstorms page. At left is the winter version of this page. Between April and mid-November, only the left column of the links table (i.e. rainfall forecasts) will be seen.

There are 2 types of precip forecasts on this page. The first type are forecasts generated here at NWS Wakefield. Second are the Weather Prediction


Center (WPC) national forecasts of precipitation, snow or ice. The snow/ice probability thresholds used are defined as follows: SLGT - 10% to 40% chance of occurrence within the outlined area. MODERATE (MDT) - 40% to 70% chance of occurrence within

the outlined area. **HIGH** - 70% chance or greater of occurrence within the outlined area. Associated WPC discussions are linked above the graphics display. The timeframes for the various graphics are fairly self-explanatory, and are labeled on both our local and WPC precipitation forecasts. However, there is an important difference between our locally produced rain and snow forecasts.

The 12 through 72 hour rainfall forecasts are running totals through the 72 hour period. The 0-6 hour through 66-72 hour snowfall forecasts are individual 6 hour accumulations. From a snowfall perspective, this gives the user an idea of not only when the wintry precipitation will begin, but in what time the heaviest snow is expected. Snowfall and ice accumulation totals for the entire storm can be found in the Storm Total Ice, and Storm Total Snow links.

The <u>Winter Mesoanalysis Page</u> link (bottom of the precip graphics table) will take you to a page with SPC winter weather parameters overlaid on the same regional section as the Severe Mesoanalysis Page discussed in the Severe Thunderstorms tab discussion (see Appendix A of this document, or the last 2 pages of the Rain and Snow Forecasts Page Users Guide).


Two additional links above the graphics display provide some very useful information. These are discussed on the next page.



The links to the NWS Multi-Sensor Daily Precipitation Analysis Page (highlighted by the red oval), and the NOAA/NWS Precipitation Frequency Analysis Web Site (highlighted by the yellow oval), provide very useful information about past precipitation, and the frequency of precipitation events of certain magnitudes, respectively.


Daily Precipitation Analysis

The default map display shows precipitation across the U.S. in the last 24 hours, with the national data being available by noon each day. This graphic is derived from a combination of rain gauge measurements and radar based rainfall. The display can be changed to any state by selecting the state from the menu under 3. Location located below the map. In addition, different products (departure from normal, percent of normal) can be obtained by selecting a different time frame (last 7 days to water year to date) under 1. Timeframe.



Precipitation Frequency Analysis


A precipitation frequency analysis can provide useful information to planners at the state or local level. The



To obtain a precipitation frequency analysis for a given location, simply drag the red cross to the desired location, and the map will automatically recenter to that location, and a *precipitation frequency analysis will appear below the map* in a table similar to the one below:

analysis shows the return period/interval (in years) for a given amount of precipitation for durations ranging from 5 minutes to 60 days. Click on the Precipitation Frequency Analysis link, and the page to the left appears in a new window.

Click on any state highlighted in blue, and the new map looks like this:




	PDS-based precipitation frequency estimates with 90% confidence intervals (in inches) ¹ Average recurrence interval (years)									
Duration	1	2	5	10	25	50	100	200	500	1000
5-min	0.396	0.468	0.540	0.611	0.687	0.749	0.807	0.862	0.929	0.988
	(0.357-0.442)	(0.422-0.521)	(0.487-0.602)	(0.548-0.680)	(0.614-0.764)	(0.667-0.832)	(0.715-0.897)	(0.761-0.958)	(0.813-1.03)	(0.858-1.1
10-min	0.632	0.748	0.865	0.977	1.09	1.19	1.28	1.37	1.47	1.56
	(0.570-0.705)	(0.675-0.833)	(0.780-0.964)	(0.877-1.09)	(0.979-1.22)	(1.06-1.32)	(1.14-1.43)	(1.21-1.52)	(1.29-1.64)	(1.35-1.7
15-min	0.790	0.941	1.09	1.24	1.39	1.51	1.62	1.73	1.85	1.95
	(0.712-0.882)	(0.848-1.05)	(0.987-1.22)	(1.11-1.38)	(1.24-1.54)	(1.34-1.68)	(1.44-1.80)	(1.52-1.92)	(1.62-2.06)	(1.70-2.1
30-min	1.08	1.30	1.55	1.79	2.06	2.27	2.48	2.69	2.94	3.16
	(0.976-1.21)	(1.17-1.45)	(1.40-1.73)	(1.61-1.99)	(1.84-2.29)	(2.03-2.53)	(2.20-2.76)	(2.37-2.98)	(2.58-3.28)	(2.75-3.5
60-min	1.35	1.63	1.99	2.33	2.74	3.08	3.42	3.77	4.22	4.62
	(1.22-1.51)	(1.47-1.81)	(1.80-2.22)	(2.09-2.60)	(2.45-3.04)	(2.75-3.42)	(3.03-3.80)	(3.32-4.18)	(3.70-4.70)	(4.01-5.1
2-hr	1.60	1.93	2.39	2.84	3.40	3.88	4.37	4.89	5.61	6.23
	(1.44-1.79)	(1.74-2.15)	(2.15-2.67)	(2.54-3.16)	(3.02-3.77)	(3.43-4.31)	(3.85-4.85)	(4.28-5.43)	(4.86-6.22)	(5.35-6.9
3-hr	1.72 (1.54-1.94)	2.07 (1.85-2.33)	2.58 (2.30-2.89)	3.06 (2.73-3.43)	3.69 (3.27-4.12)	4.24 (3.74-4.73)	4.82 (4.21-5.37)	5.42 (4.71-6.04)	6.28 (5.39-6.99)	7.03
6-hr	2.07	2.48	3.09	3.68	4.46	5.17	5.91	6.70	7.83	8.85
	(1.85-2.33)	(2.21-2.80)	(2.74-3.48)	(3.26-4.15)	(3.93-5.02)	(4.53-5.79)	(5.13-6.61)	(5.78-7.49)	(6.66-8.75)	(7.44-9.8
12-hr	2.45	2.93	3.67	4.41	5.40	6.30	7.27	8.33	9.86	11.3
	(2.18-2.79)	(2.61-3.34)	(3.254.18)	(3.89-5.00)	(4.72-6.11)	(5.47-7.12)	(6.25-8.18)	(7.09-9.36)	(8.26-11.1)	(9.30-12
24-hr	2.84	3.45	4.44	5.28	6.52	7.57	8.72	9.99	11.9	13.4
	(2.60-3.13)	(3.17-3.80)	(4.07-4.90)	(4.82-5.82)	(5.90-7.16)	(6.81-8.32)	(7.78-9.58)	(8.83-11.0)	(10.3-13.0)	(11.6-14
2-day	3.29	3.99	5.11	6.05	7.44	8.62	9.90	11.3	13.4	15.1
	(3.02-3.63)	(3.664.40)	(4.68-5.63)	(5.52-6.66)	(6.74-8.17)	(7.75-9.47)	(8.84-10.9)	(10.0-12.5)	(11.7-14.0)	(13.1-16
3-day	3.49	4.23	5.39	6.37	7.78	8.98	10.3	11.7	13.8	15.6
	(3.20-3.84)	(3.88-4.65)	(4.95-5.93)	(5.82-6.99)	(7.07-8.53)	(8.11-9.85)	(9.20-11.3)	(10.4-12.8)	(12.1-15.2)	(13.5-17
4-day	3.69	4.46	5.68	6.68	8.13	9.34	10.7	12.1	14.2	16.0
	(3.394.05)	(4.11-4.91)	(5.22-6.23)	(6.12-7.32)	(7.40-8.90)	(8.46-10.2)	(9.57-11.7)	(10.8-13.2)	(12.5-15.6)	(13.9-17
7-day	4.29	5.16	6.47	7.55	9.09	10.4	11.7	13.2	15.3	17.0
	(3.95-4.68)	(4.76-5.64)	(5.96-7.07)	(6.94-8.23)	(8.31-9.91)	(9.42-11.3)	(10.6-12.8)	(11.8-14.4)	(13.6-16.8)	(14.9-18
10-day	4.90	5.88	7.28	8.41	10.0	11.3	12.7	14.2	16.2	17.9
	(4.55-5.33)	(5.46-6.39)	(6.74-7.90)	(7.76-9.11)	(9.20-10.8)	(10.4-12.3)	(11.5-13.8)	(12.8-15.4)	(14.5-17.7)	(15.8-19
20-day	6.63	7.91	9.58	10.9	12.8	14.2	15.8	17.3	19.5	21.2
	(8.19.7.13)	(7.38-8.50)	(8.92-10.3)	(10.1-11.7)	(11.8-13.7)	(13.1-15.3)	(14.5-17.0)	(15.8-18.7)	(17.7-21.1)	(19.1.23
30-day	8.22	9.76	11.6	13.1	15.0	16.6	18.1	19.6	21.7	23.3
	(7.72-8.78)	(9.16-10.4)	(10.942.4)	(12:2-14.0)	(14.0-16.0)	(15.447.7)	(16.8-19.3)	(18.1-21.0)	(19.9-23.3)	(21.2-25
45-day	10.3	12.1	14.3	16.0	18.2	20.0	21.7	23.5	25.9	27.7
	(9.67-10.9)	(11.4-12.9)	(13.4-15.2)	(15.0-17.0)	(17.1-19.4)	(18.7-21.2)	(20.2-23.1)	(21.8-25.0)	(23.8-27.6)	(25.3-29
60-day	12.2	14.4	16.8	18.6	21.0	22.8	24.6	26.4	28.7	30.4
	(11.643.0)	(13.645.3)	(15.947.8)	(17.6-19.7)	(19.0-22.2)	(21.5-24.2)	(23.1-26.1)	(24.6-29.0)	(26.6-30.5)	(28.1-32

Appendix A – The Winter Mesoanalysis Page

NOTE: This page utilizes mouseover capabilities, and is compatible with smartphones and tablets.

The Severe Thunderstorm Mesoanalysis page is designed to provide a real-time picture of thunderstorm and/or severe thunderstorm potential. The graphics on this page are mostly from the SPC Mesoanalysis Page (linked above the graphics), utilizing the Mid Atlantic sector. Although many of the parameters are well known to meteorologists, others require some explanation (see descriptions below graphic).



Frontogenesis – The generation or intensification of a front. It occurs when warm air converges onto colder air, and the horizontal temperature gradient amplifies by at least an order of magnitude.


Advection – Transport of an atmospheric property by the wind. Most often used to describe increases or decreases in temperature or moisture.

Potential Vort (Potential Vorticity) – This plays an important role in the generation of vorticity (cyclonic turning in the atmosphere) in cyclogenesis, especially along the polar front. It is also very useful in tracing intrusions of stratospheric air deep into the troposphere in the vicinity of jet streaks.

Appendix A1 – The Precip Type Nomogram Page


NOTE: This page utilizes mouseover capabilities, and is compatible with smartphones and tablets.

Precipitation type
nomograms can be a quick
way to determine
precipitation type, or the
evolution of precipitation
types, during a winter
weather event. This page
shows nomograms for
weather balloon
observations from Dulles
Airport, VA, Greensboro, NC,
Morehead City, NC and
Wallops Island ,VA. In
addition, forecast
precipitation type



nomograms for about a dozen locations in and around the NWS Wakefield area of responsibility are available for the following models – RUC (Rapid Update Cycle); WRF (Weather Research and Forecast); NAM; SREF (Short-Range Ensemble); GFS; and GEM (Canadian). These nomograms are all available courtesy of WFO Raleigh, NC.

P-Type Categories



The image at left is a legend for understanding precip type nomograms.